	Application No.	Applicant(s)
Notice of Allowability		
	10/699,223	ITO ET AL.
	Examiner	Art Unit
	James Golden	2187
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject t	plication. If not included not will be mailed in due course. THIS
1. This communication is responsive to the after-final amendment filed 1 December 2006.		
2. The allowed claim(s) is/are <u>1-12</u> .		
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do 	e been received. e been received in Application No	
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. Examiner's Amend	te
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8 M Fyaminar's Statem	ent of Reasons for Allowance
of Biological Material	9. Other	ent of Neasons for Allowance

DETAILED ACTION

Response to Amendment

The instant application 10/699223 has a total of 12 claims pending. There are 2 independent claims and 9 dependent claims.

Claim Rejections - 35 USC § 103

1. The claim to disqualification of the prior art under 35 USC § 103(c)(1) is accepted, and the rejections are hereby withdrawn.

Allowable Subject Matter

- 2. Claims 1-12 are allowed. The following is an examiner's statement of reasons for allowance:
- 3. With respect to claim 1, the claim limitations are deemed allowable over the prior art of record as the prior art neither anticipates nor renders obvious at least the combination with the inclusion in the claims of "said super self-refresh control circuit being contained within said RAM control section" (lines 5-6). Support for this limitation may be found in Fig. 1 of applicant's drawings, where the super self-refresh control circuit 9 is contained within the RAM control logic 209.
- 4. Claims 2-6 are allowed by virtue of their dependency on claim 1.
- 5. With respect to claim 7, the claim limitations are deemed allowable over the prior art of record as the prior art neither anticipates nor renders obvious at least the combination with the inclusion in the claims of "said address generating section being

Application/Control Number: 10/699,223

Art Unit: 2187

223 Page 3

contained within said BIST controller" (line 9). Support for this limitation may be found in Fig. 12 of applicant's drawings and paragraph 0183 (page 31) of applicant's specification, where "the BIST controller 6" comprises... the address generator 12."

6. Claims 8-12 are allowed by virtue of their dependency on claim 7.

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James Golden whose telephone number is 571-272-5628. The examiner can normally be reached on Monday-Friday, 8:30 AM - 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Donald Sparks can be reached on 571-272-4201. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James R. Golden Patent Examiner Art Unit 2187

January 4, 2007

DONALD SPARKS
SUPERVISORY PATENT EXAMINER